



A Quick Tour of the CDI Landscape

Reza Rahman

Expert Group Member, Java EE 6 and EJB 3.1

Resin EJB 3.1 Lite Container Developer

Author, EJB 3 in Action

reza@caucho.com




Contexts and Dependency Injection for Java EE (CDI)

- **Next-generation dependency injection for Java EE**
- **Synthesizes best ideas from Seam 2, Guice and Spring**
- **Many innovative features on its own right**
- **Focus on loose-coupling, Java-centric type-safety, annotations, expressiveness and ease-of-use**
- **Makes Java EE much more flexible, testable, pluggable and extensible**
- **Large ecosystem rapidly evolving around CDI**



CDI and Java EE





CDI Features

- **Basic dependency injection**
 - **@Inject, @Qualifier, @Stereotype, @Alternative, Instance, @All, @Any**
- **Component naming**
 - **@Named**
- **Context management**
 - **@Dependent, @RequestScoped, @SessionScoped, @ConversationScoped, @ApplicationScoped, @Scope**



CDI Features

- Custom Object Factories
 - **@Produces, @Disposes, InjectionPoint**
- Lightweight Events
 - **Event, @Observes**
- Interceptors/Decorators
 - **@Interceptor, @InterceptorBinding, @AroundInvoke, InvocationContext, @Decorator, @Delegate**
- Portable extensions SPI



CDI Ecosystem

Implementations



Weld



CanDI



OpenWebBeans

Portable Extensions



Tools





CDI Implementations





Weld



- CDI reference implementation and compatibility test kit from JBoss
- Weld reference excellent documentation for CDI
- Evolved from Seam 2 core
- Included in GlassFish and JBoss AS
- Can be used with Tomcat, Jetty
- Can be used in standalone Java SE



CanDI



- Cauchy implementation included in the Resin application server
- CanDI forms the core of Resin itself
- Compact, schema-driven, type-safe XML configuration
- CDI XML used to configure Resin itself
- Use of annotations like `@TransactionAttribute`,
`@Schedule`, `@Asynchronous`, `@RolesAllowed`, `@RunAs`,
`@Lock`, `@Startup` and `@Remote` outside EJB in plain
CDI managed beans




CanDI



- **@Pooled, @TransactionScoped, @ThreadScoped custom scopes**
- **Embedded container based testing framework integrating CDI, EJB, JPA with JUnit**
- **Integrating CDI with PHP**
- **Portable extensions in progress for JDBC, iBATIS, Struts 2, Quartz**
- **Focus on performance**



CanDI and Resin





OpenWebBeans

- Apache implementation of CDI included in Geronimo
- Closely related to Apache OpenEJB
- Great integration with Tomcat along with OpenEJB
- Extended injection of JMS objects (sessions, connection factories)
- Runs in standalone Java SE
- Portable extensions for major Apache projects




Java EE 6 Implementations





Java EE 6 Application Servers





GlassFish v3



- Open source Java EE 6 reference implementation
- Fully backed by Oracle
- Earliest Java EE 6 runtime
- Web Profile as well as Full Platform supported
- OSGi based modular architecture
- Excellent pooling, clustering and administration features
- Embedded container for testing



JBoss AS 6



- **Most widely used open source Java application server**
- **Recently passed Java EE 6 Web Profile TCK**
- **Java EE 6 Full Profile implementation on the way**
- **Track record for innovation and thought leadership**
- **Pooling, caching, clustering, admin console**
- **HornetQ excellent JMS implementation**



Resin 4



- Focus on fast, lightweight, reliable open source Java EE 6 Web Profile server
- Scheduling, asynchronous processing, Hessian remoting, message-driven beans and lightweight JMS also included
- HTTP server, proxy caching, load-balancing, pooling, clustering, caching, cloud support, security framework, SSL, administration
- Running PHP on Java



Geronimo 3

- Apache licensed open source application server
- Basis for IBM WebSphere Community Edition
- Geronimo 3 aimed to pass Java EE 6 Web Profile TCK shortly with a Full Profile implementation to follow
- OSGi, clustering, administrative console
- Includes Tomcat/Jetty, MyFaces, OpenWebBeans, OpenEJB, OpenJPA, ActiveMQ, CXF/Axis, Derby
- TomEE Tomcat centric Java EE 6 Web Profile offering




More on the Way...

TmaxSoft JEUS	Korean application server; JEUS 7 one of the earliest to get Java EE 6 certified; still in beta stage
WebLogic	Next release, WebLogic Server 11g R2, will support both Java EE 6 Full and Web Profile; planned for calendar year 2011
WebSphere	WebSphere 8 beta previews Java EE 6
JOnAS	Open source application server from OW2 consortium; JOnAS 5.2 implementing some Java EE 6 features; JOnAS 6 will support Java EE 6
Slwpas	Tomcat based open source Java EE 6 Web Profile offering leveraging Apache projects from Turkish company MechSoft; not certified yet




Portable Extensions





Seam 3

- Set of CDI portable extensions independent of Weld/JBoss AS
- Each module developed separately
- There are Seam “umbrella” releases





Seam Modules

Module	Description
Solder	General enhancements to CDI
XML Configuration	XML configuration for managed beans
Persistence	Transactions and persistence for non-EJB managed beans
Faces	JSF enhancements
Servlet	Servlet enhancements
JMS	JMS integration
REST	REST enhancements
Remoting	JavaScript remoting of managed beans



Seam Modules

Module	Description
Catch	Exception handling framework
International	Internationalized/localized locale, time, messages
Security	Higher level security API for Java EE
Mail	JavaMail integration
Cron	CDI based scheduling
Document	Document generation (PDF, Excel)
Seam 2	Seam 2 backwards compatibility
Spring	Spring interoperability



Seam Modules

Module	Description
Wicket	Wicket Integration
GWT	GWT integration
Drools	Drools integration
jBPM	jBPM integration
JBoss ESB	JBoss ESB integration
Clouds	Cloud frameworks integration (JClouds, Infinispan)



Apache MyFaces CODI

- Set of CDI portable extensions from Apache
- Somewhat MyFaces/JSF centric, aims to provide a friendly “toolbox” for development with Java EE 6
- Modular, configurable and extensible
- Closely related to Apache OpenWebBeans



Using JSF Project Stage

```
<context-param>
    <param-name>javax.faces.PROJECT_STAGE</param-name>
    <param-value>Development</param-value>
</context-param>

@Inject private ProjectStage projectStage;
...
boolean isDevProjectStage =
    ProjectStage.Development.equals(projectStage);

@Alternative
@ProjectStageActivated(ProjectStage.UnitTest.class)
public class TestServiceMockImpl implements Service {
    ...
}
```



Injecting Loggers

```
public class DefaultAccountDao
    implements AccountDao {
    @Inject
    private Logger logger;

    @PersistenceContext
    private EntityManager entityManager;

    public void addAccount(Account account) {
        ...
    }
    ...
}
```



CODI Conversations

```
@Named @ConversationScoped
// @ConversationGroup(Wizard1.class)
public class CodiConversationBean {
    @Inject private Conversation conversation;
    ...
    public void finishWorkflow() {
        ...
        conversation.close();
        ...
    }
}
```



Other CODI Scopes

```
@Named @ViewScoped
public class MyViewScopedBean {
    ...
}

@Named @WindowScoped
public class MyWindowScopedBean {
    @Inject private Conversation conversation;
    ...
}
```



Enhanced JSF Injection

```
@Advanced
@FacesValidator(...)
public class DependencyInjectionAwareValidator
    implements Validator {
    @Inject FacesContext facesContext;
    @Inject ValidationService validationService;
    ...
    public void validate(FacesContext facesContext,
        UIComponent component, Object value)
        throws ValidatorException {
        Violation violation =
            validationService.validate(value);
        ...
    }
}
```



JSF Life-Cycle Listeners

```
public void onPreRender(@Observes  
    @BeforePhase(RENDER_RESPONSE)  
    PhaseEvent phaseEvent) {  
    ...  
}  
  
public void onFacesRequestStart(@Observes  
    @BeforeFacesRequest FacesContext facesContext) {  
    ...  
}
```



Injecting Bean Validation Objects

```
@Inject @Advanced
```

```
private Validator validator;
```

```
@Inject @Advanced
```

```
private ValidatorFactory validatorFactory;
```



Injecting into Validators

```
public class UserNameValidator implements
    ConstraintValidator<UserName, String> {
    @Inject private UserService userService;

    public boolean isValid(String userName,
        ConstraintValidatorContext
            constraintValidatorContext) {
        return userService.validateUserName(userName);
    }
}
```



CODI Transactions

```
public class DefaultAccountService
    implements AccountService {
    @Inject
    private AccountDao accountDao;

    @Transactional
    public void addAccount(Account account) {
        accountDao.addAccount(account);
    }
    ...
}
```



Scripting (JSR-223) Integration

```
@Inject @ScriptLanguage(JavaScript.class)
private ScriptExecutor scriptExecutor;
...
return scriptExecutor.eval("10 + 4", Double.class);
```

```
@Inject @ScriptLanguage(JavaScript.class)
private ScriptBuilder scriptBuilder;
...
return scriptBuilder.script("x + y").namedArgument(
    "x", a).namedArgument("y", b).eval(Double.class);
```

```
<h:outputText value="#{sExec.js['[a:#{bean1.result},'
    b:#{bean2.result}]']['a + b']}"/>
```



Cargo JUnit Test

```
@RunWith(JUnit4WithCargo.class)
public class DemoTestCase extends AbstractCargoTest {
    @Test
    public void doSomeTest() throws Exception {
        SimplePageInteraction interaction = new
            SimplePageInteraction(getTestConfiguration())
                .with(Pages.Page1.class).with(
                    Pages.Page1.class).start(
                        Pages.Page1.class);
        interaction.useForm("form1").setValue(
            "form1:input1", "1").click("form1:button1");
        interaction.checkState(Pages.Page2.class)
            .checkTextValue("output1", "1");
    }
}
```



Plain JUnit Test

```
@RunWith(JUnit4.class)
public class BidServiceTest extends AbstractTest {
    @Inject private BidService bidService;
    ...
    @Test
    public void testGetBid() {
        Bid bid = bidService.getBid(1L);
        assertNotNull(bid);
    }
    ...
}
```



ZK Framework CDI Integration



- ZK is Ajax-based event-driven RIA engine with a rich set of XHTML and XUL components
- ZUML mark-up language for creating UIs
- ZK Provides powerful CDI integration, including remote contexts (+ custom scopes)



ZUML Markup

```
<?page title="HelloWorld"
       contentType="text/html;charset=UTF-8"?>
<?variable-resolver class=
    "org.zkoss.zkplus.cdi.DelegatingVariableResolver"?>
<zk>
    <window id="helloWindow" title="HelloWorld"
            border="normal" width="250px"
            apply="${helloWorld}">
        <textbox id="guestName" width="150px" />
        <button id="sayHelloBtn" label="Say hello"/>
    </window>
</zk>
```





ZK CDI Managed Bean

```
@Named  
@SessionScoped  
public class HelloWorld extends GenericComposer  
    implements Serializable {  
  
    @Inject @ComponentId("guestName") Textbox guestName;  
    @Inject @ComponentId("sayHelloBtn") Button sayHelloBtn;  
    @Inject @ComponentId("helloworld") Window helloWindow;  
  
    public void sayHello(@Observes  
        @Events("sayHelloBtn.onClick") MouseEvent evt) {  
        helloWindow.setTitle("Hello "  
            + guestName.getValue());  
    }  
}
```





Tools





Arquillian



- Embedded or remote (or managed) container integration with JUnit/TestNG
- Container life-cycle management, micro-deployments, injection into unit tests
- Supports multiple containers and aims to be container-independent
- Ideal for cross-vendor unit testing
- Integrates with JSFUnit



Arquillian Supported Containers

Container	Mode
JBoss AS 5	Remote, managed
JBoss AS 6	Remote, managed, embedded
GlassFish 3	Remote, embedded
Tomcat 6	Embedded
Jetty 7	Embedded
Weld SE	Embedded
OpenWebBeans	Embedded
OpenEJB	Embedded



Arquillian Unit Test

```
@RunWith(Arquillian.class)
public class BidServiceTest {
    @Deployment
    public static WebArchive createDeployment() {
        return ShrinkWrap.create(WebArchive.class, "test.war")
            .addClasses(BidService.class, DefaultBidService.class,
                BidDao.class, DefaultBidDao.class, Bid.class)
            .addWebResource(EmptyAsset.INSTANCE, "beans.xml")
            .addWebResource("test-persistence.xml",
                "classes/META-INF/persistence.xml");
    }

    @Inject private BidService bidService;
    ...

    @Test
    public void testGetBid() {
        Bid bid = bidService.getBid(1L);
        assertNotNull(bid);
    }
    ...
}
```



Forge

- **Command-line RAD code-generation tool for Java EE**
- **Based on Maven**
- **Aimed at fast bootstrap and refactoring**
- **Highly pluggable and extensible**
- **Complements JBoss Tools CDI/Java EE 6 support**



Forge Screenshot

A screenshot of a terminal window titled "lb3@quadshark: ~/JBoss/forge/dist". The window has a standard Linux-style title bar with icons for minimize, maximize, and close. Below the title bar is a menu bar with "File", "Edit", "View", "Search", "Terminal", and "Help". The main area of the terminal shows the following command-line session:

```
[forge-distribution] dist $ cd ~/Desktop/
[no project] Desktop $ new-project --named example --topLevelPackage com.example
Use [/home/lb3/Desktop/example] as project directory? [Y/n]
Wrote /home/lb3/Desktop/example/src/main/java/com/example/HelloWorld.java
Wrote /home/lb3/Desktop/example/src/main/resources/META-INF/forge.xml
***SUCCESS*** Created project [example] in new working directory [example]
[example] example $ 
[example] example $ echo "that was easy..."
that was easy...
[example] example $ 
```



Forge Plug-in Example

```
public class ExamplePlugin implements Plugin {  
    @Command(name="perform")  
    public void exampleCommand(  
        @Option(name="one") String one,  
        @Option(name="two") String two,  
        @Option String three,  
        @Option String four,  
        PipeOut out) {  
        out.println(">> first option equals: " + one);  
        out.println(">> second option equals: " + two);  
        out.println(">> third option equals: " + three);  
        out.println(">> fourth option equals: " + four);  
    }  
}
```




JBoss Tools

- A set of Eclipse plug-ins for JBoss technologies like CDI, Seam, JSF, Facelets, Hibernate, JBoss AS, Drools, jBPM and JBoss ESB
- Provides excellent support for CDI (which Eclipse currently does not)
- CDI wizards, validation, quick-fix, auto-completion, navigation



CDI Wizards





CDI Validation

The screenshot shows the JBoss Tools CDI Validator preferences dialog and a code editor window.

Preferences Dialog:

- Validator** tab selected in the left sidebar.
- Severity Level Selection:** Set to **Error** for all listed CDI Validator problems.
- Problems:**
 - Name:** Stereotype has non-empty name: Error
 - Type:** Illegal type in @Typed: Error
 - Stereotype has @Typed: Error
 - Scope:** Multiple scope annotations: Error
 - Missing scope when there is no default scope: Error
 - Stereotype declares more than one scope: Error
 - Miscellaneous:** Illegal qualifier in stereotype: Error

Code Editor:

```
@Stateful
public class FooProducer implements FooProducerLocal, FooProducerLocal2, FooProdu
{
    @Produces Foo createFoo() { return new Foo(); }
}
```

A yellow tooltip is displayed over the `@Produces` annotation on the `createFoo()` method, containing the following text:

Non-static method `createFoo()` of a session bean class `FooProducer` is annotated `@Produces`, and the method is not a business method of the session bean [JSR-299 §3.3.2]

4 quick fixes available:

- Add 'createFoo' method to 'FooProducerLocal' interface
- Add 'createFoo' method to 'FooProducerLocal2' interface
- Add 'createFoo' method to 'FooProducerLocal3' interface
- Add `@LocalBean` annotation to 'FooProducer' class



CDI Code Navigation

The screenshot shows an IDE interface with three tabs at the top: CashPaymentProcessor, AsynchronousPaymentP, and AssignabilityOfRawAn. The main editor area displays Java code for a class named InjectionInstance.

```
1 package org.jboss.jsr299.tck.tests.jbt.resolution;
2
3 import javax.inject.Inject;
4
5 public class InjectionInstance {
6
7     @Inject String multipleBroken;
8
9 }
10 }
```

A tooltip is displayed over the line `@Inject String multipleBroken;` with options: Open Declaration, Open @Inject Bean BeanWithStaticProducerMethod.getString(), and Show All Eligible Beans...

Further down the code, another tooltip is shown over the line `@Inject @Any @NonRuntimeBindingType Event<String> stringEventWithAnyAndNonRuntimeBindin`. It includes options: Open Declaration, Open Injected Bean, and Open CDI Observer Methods.

On the left side, there is a vertical toolbar with icons for search, refresh, and other navigation functions. A tooltip for the @Produces annotation is also visible, listing Open Declaration and Open Bound Disposer Method dispose.



Eclipse



- Some Java EE 6 support (EJB 3.1, Servlet 3, Facelets, JPA 2) but not complete
- CDI not supported at all
- GlassFish plug-in includes a little better support for Java EE 6, but not much
- Using JBoss Tools with Eclipse good choice for CDI developers for the time-being





NetBeans



- Excellent support for CDI and Java EE 6
- CDI wizards, validation, quick-fix, auto-completion, navigation, dependency graph



CDI Validation



CDI Auto-Completion

```
DefaultItemValidator.java x RelaxedItemValidator.java x
1 package exercise3;
2
3 import exercise2.Item;
4 import javax.enterprise.inject.Alternative;
5
6 /**
7  * 
8  * @author nbuser
9  */
10 @Alternative
11 @Alternative
12 Imported Items: Press 'Meta+BACK_SLASH' Again for All Items
13
14 javax.enterprise.inject
15
16 @Target(value={TYPE, METHOD, FIELD})
17 @Retention(value=RUNTIME)
18 @Documented
19 public @interface Alternative
20
21 Specifies that a bean is an alternative. May be applied to a bean class,
22 producer method or field or stereotype.
23
24 @Alternative
25 public class MockOrder extends Order { ... }
26
27
28 An alternative is not available for injection, lookup or EL resolution to
29 classes or JSP/JSF pages in a module unless the module is a bean archive
30 and the alternative is explicitly selected in that bean archive. An
31 alternative is never available for injection, lookup or EL resolution in a
32 module that is not a bean archive.
```

```
5
6 package newpackage;
7 cannot find symbol
8     symbol: class NewQualifier
9
10 @NewQualifier
11
12 }
13
```

The screenshot shows the NetBeans IDE interface with two tabs open: "index.xhtml" and "MessageServerBean.java". The "index.xhtml" tab displays Facelets XML code. The "MessageServerBean.java" tab shows Java code for a bean. A tooltip for the "messageServerBean" variable is visible, pointing to its declaration in the Java code.

```
<?xml version='1.0' encoding='UTF-8' ?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
<html xmlns="http://www.w3.org/1999/xhtml"
      xmlns:h="http://java.sun.com/jsf/html">
    <h:head>
        <title>Facelet Title</title>
    </h:head>
    <h:body>
        Hello from Facelets
        <br/>
        Message is: #{messageServerBean.message}
        <br/>
        Message Server Bean is: #{messageServerBean.message}
    </h:body>
</html>
```




CDI Navigation

```

6   package newpackage;
7
8   import javax.enterprise.event.Event;
9   import javax.enterprise.inject.Any;
10  import javax.inject.Inject;
11
12
13  public class NewClass {
14
15      @Inject @Any Event<EventObject> even;
16
17  }
18

```






IntelliJ IDEA

- CDI and Java EE 6 strongly supported
- Dependency diagrams, refactoring, navigation, code completion
- One of the earliest to support CDI



CDI Tool Window





CDI Validation

```
public class InjectInMe {  
    @Inject  
    Credo credos ;  
    Ambiguous dependency: there are multiple beans that match the injection point more...  
    @Inject  
    Credo2 credo2 ;  
    Unsatisfied dependency: no bean matches the injection point more...(Ctrl+F1)
```

```
@SessionScoped @Named  
public class Login implements Serializable {  
  
    @Inject Credentials credentials;  
    Injected normal scoped bean is not proxyable more...\(Ctrl+F1\)  
    Unproxyable bean types inconsistency.  
    Certain legal bean types cannot be proxied by the container: classes which don't have a  
    non-private constructor with no parameters, classes which are declared final or have final  
    methods, primitive types, and array types.
```

Documentation for Credentials

org.jboss.weld.examples.login

@RequestScoped
@Named
@Default
public final class Credentials
extends Object
implements Serializable



Summary

- CDI next generation dependency injection for Java EE
- Rich ecosystem of implementations, supported runtime platforms, portable extensions and tools rapidly evolving around CDI
- Portable extensions for both ease-of-use, Java EE enhancements as well as open source third-party tools
- Tools for RAD/code generation, testing as well as traditional IDE based development
- More on the way!



References

CDI

- **JSR 299: Contexts and Dependency Injection for Java EE**, <http://jcp.org/en/jsr/detail?id=299>
- **Weld Reference**,
<http://docs.jboss.org/weld/reference/1.0.0/en-US/html/>

Implementations

- **Weld**, the JBoss reference implementation for JSR 299,
<http://seamframework.org/Weld>
- **CanDI**, the JSR 299 implementation for Caucho Resin,
<http://caucho.com/projects/candi/>



References

- **OpenWebBeans**, Apache implementation of JSR 299,
<http://openwebbeans.apache.org>

Application Servers

- **GlassFish**, <http://glassfish.java.net>
- **JBoss**, <http://www.jboss.org/jbossas>
- **Resin**, <http://www.caucho.com/products/resin/>
- **OpenEJB**, <http://openejb.apache.org>



References

Portable Extensions

- **Seam 3**, <http://seamframework.org>
- **Apache MyFaces CODI**,
<http://myfaces.apache.org/extensions/cdi/>
- **ZK Framework**,
http://books.zkoss.org/wiki/Small_Talks/2010/March/Getting_started_with_ZK_CDI

Tools

- **Arquillian**, <http://www.jboss.org/arquillian>



References

- **Seam Forge,**
<http://seamframework.org/Documentation/SeamForge>
- **JBoss Tools,**
<http://community.jboss.org/en/tools/blog/2011/01/31/overview-of-context-dependency-injection-tools>



Thanks!

Email: reza@caucho.com

Twitter: cauchoresin

Facebook:

[http://www.facebook.com/pages/Caucho-Technology/
8671323790](http://www.facebook.com/pages/Caucho-Technology/8671323790)

Presentation materials: <http://www.caucho.com/articles/>